

Dr. Babak Bahadori

Geb.: 25. März 1966

Publikationsliste

28. Jänner 2009

Originalarbeiten

- (1) **Bahadori B**, Uitz E, Truschnig-Wilders M, Pilger E, Renner W. Polymorphisms of the Hypoxia Inducible Factor Gene and Peripheral Arterial Disease. In progress.
- (2) **Bahadori B**, Uitz E, Thonhofer R, Trummer M, Pestemer-Lach I, MacCarty M, Krejs GJ. Omega-3 fatty acids as adjuvant therapy in rheumatoid arthritis. A double-blind, randomized, placebo-controlled trial. 2008(11) JPEN akzeptiert.
- (3) **Bahadori B**, Uitz E, Tonninger-Bahadori K, Moghadasian M. Successful treatment of a morbidly obese and growth retarded adolescent with Williams-Beuren-Syndrome (WBS) by combining the medication of Growth Hormone (GH) and Sibutramine. SMJ 2008;49(1):e15-6.
- (4) Thonhofer R, Kriessmayr M, Thonhofer U, Wipfler E, Uitz E, **Bahadori B**. Right bundle branch block induced by low-dose methotrexate in a patient with rheumatoid arthritis. Scand J Rheumatol 2007;36(3):241-2 17657685
- (5) Thonhofer R, Kriessmayr M, Thonhofer U, Wipfler E, Uitz E, **Bahadori B**, Eder S. Rheumatoid arthritis patients with therapy-induced myelodysplastic syndrome present with long-term remission after recovery. Scand J Rheumatol 2007;36 (2):149-51 17476623
- (6) **Bahadori B**, Uitz E, Tonninger-Bahadori K, Pestemer-Lach I, Trummer M, Thonhofer R, Brath H, Schaflinger E. Body Composition: The fat free mass index (FFMI) and the body fat mass index (BFMI) distribution among the Austrian population - results of a cross-sectional study. Int J Body Comp Res 2006 Vol. 4 No. 3: 123-128.
- (7) DeClercq V, Yeganeh B, Moshtaghi-Kashanian GR, **Bahadori B**, Moghadasian M. Paradoxical Effects of Fenofibrate and Nicotinic Acid in Apo E-Deficient Mice. J Cardiovasc Pharmacol 2005 Jul;46(1):18-24.
- (8) **Bahadori B**, Yazdani-Biuki B, Krippel P, Brath H, Uitz E and Wascher TC. Low-fat, high-carbohydrate (low-glycemic index) diet induces weight loss and preserves lean body mass in obese healthy subjects: results of a 24-week study. Diab Obes Metab. 2005;May;7(3):290-3.
- (9) **Bahadori B**, Trinker M, Wallner SJ, Yazdani-Biuki B and Wascher TC. Diabetes mellitus and weight control: Differences of respiratory quotient (RQ) in type-II-diabetic obese subjects receiving sulfonylureas and non-diabetic obese controls. Nutrition. 2003 Feb;19(2):159-60.
- (10) Krippel P, Langsenlehner U, Renner W, Yazdani-Biuki B, Wolf G, Wascher TC, Paulweber B, **Bahadori B**, Samonigg H. The L10P polymorphism of the transforming growth factor-beta 1 gene is not associated with breast cancer risk. Cancer Lett 2003 Nov; 25;201(2):181-4
- (11) Zapotoczky H, Semlitsch B, Herzog G, **Bahadori B**, Siebenhofer A, Pieber TR, Zapotoczky HG: A controlled study of weight reduction in type 2 diabetics treated by two reinforces. Internat Journ of Behav Med 2001; 8(1):42-49
- (12) Leitner GC, Roob JM, **Bahadori B**, Wallner S, Wascher TC. Leptin deficiency due to lipid apheresis: a possible reason for ravenous hunger and weight gain. Int J Obes Relat Metab Disord. 2000 Feb;24(2):259-60.
- (13) Wascher TC, Bammer R, Stollberger R, **Bahadori B**, Wallner S, Toplak H. Forearm composition contributes to differences in reactive hyperaemia between healthy men and women. Eur J Clin Invest. 1998 Mar;28(3):243-8.
- (14) **Bahadori B**, Wallner S, Schneider H, Wascher TC, Toplak H. [Effect of chromium yeast and chromium picolinate on body composition of obese, non-diabetic patients during and after a formula diet]. Acta Med Austriaca. 1997;24(5):185-7.

- (15) Wascher TC, Graier WF, Dittrich P, Hussain MA, **Bahadori B**, Wallner S, Toplak H. Effects of low-dose L-arginine on insulin-mediated vasodilatation and insulin sensitivity. Eur J Clin Invest. 1997 Aug;27(8):690-5.
- (16) Wascher TC, **Bahadori B**, Habersack-Wallner S, Toplak H. Oral L-arginine supplementation in chronic heart failure. Circulation. 1997 Mar 18;95(6):1674-5
- (17) Toplak H, **Bahadori B**, Wascher TC. CAPRIE trial. Lancet. 1997 Feb 1;349(9048):354; discussion 356.
- (18) **Bahadori B**, Neuer E, Schumacher M, Fruhwald F, Eber B, Klein W, Topak H, Wascher TC. Prevalence of coronary artery disease in obese versus lean men with angina pectoris and positive exercise stress test. Am J Cardiol. 1996 May 1;77(11):1000-1.
- (19) **Bahadori B**, Smolle KH, Habersack-Wallner SJ, Toplak H, Wascher TC: Randomisierter Vergleich einer "Very-low-calorie-diet" (Modifast) und einer intensivierten Diättherapie auf Gewichtsverlust und Atherosklerose-Risikoparameter bei adipösen Patienten einer Stoffwechselambulanz. Aktuelle Ernährungsmedizin, 1996; 21, 93-97.
- (20) Toplak H, Haller EM, Laueremann T, Weber K, **Bahadori B**, Reisinger EC, Tilz GP, Wascher TC. Increased prevalence of IgA-Chlamydia antibodies in NIDDM patients. Diabetes Res Clin Pract. 1996 Apr;32(1-2):97-101.
- (21) Toplak H, Wascher TC, Weber K, Laueremann T, Reisinger EC, **Bahadori B**, Tilz GP, Haller EM. [Increased prevalence of serum IgA Chlamydia antibodies in obesity]. Acta Med Austriaca. 1995;22(1-2):23-4.
- (22) Wascher TC, Graier WF, **Bahadori B**, Toplak H. Time course of endothelial dysfunction in diabetes mellitus. Circulation. 1994 Aug;90(2):1109-10.

Bücher

- (1) Mein Körper in Balance. Ärzteverlag, erschienen September 2008.
- (2) The 7 Steps To Balance. 1. Auflage. Eigenverlag Bahadori, November 2007
- (3) Die 7 Stufen zu Ihrem Gleichgewicht. 3. Auflage. Eigenverlag Bahadori, Oktober 2005
- (4) Die 7 Stufen zu Ihrem Gleichgewicht. 2. Auflage. Eigenverlag Bahadori, Dezember 2004
- (5) Die 7 Stufen zu Ihrem Gleichgewicht. 1. Auflage. Eigenverlag Bahadori, Sommer 2003
- (6) Richtlinien der Antioxidanzientherapie für die Praxis. Eigenverlag Bahadori, Oktober 2001

Buchbeiträge

- (1) Kapitel „Metabolisches Syndrom“. Ernährungsmedizin. Verlag der Österreichischen Ärztekammer, 2. Auflage, 2005
- (2) Kapitel „Metabolisches Syndrom“. Ernährungsmedizin. Verlag der Österreichischen Ärztekammer, 1. Auflage, 2001

Letters

- (1) Wascher TC, **Bahadori B**, Wallner SJ, Toplak H: L-arginine supplementation in chronic heart failure. Circulation, 95, 1674, 1997 (Letter)

Weitere Veröffentlichungen

- (1) **Bahadori B**, Dam K. Jenseits von Cholesterin - Arteriosklerose und Omega-3 Fettsäuren. *Arzt und Praxis* 2008(9).
- (2) **Bahadori B**. Moderate Ausdauerbewegung fördert die Fettoxidation. *Ärztomagazin*, 2006(17)
- (3) **Bahadori B**. Niedriger glykämischer Index und fettreduziert - Kommt die neue Diätform? *TopMed* 2005(6): 34-36.
- (4) **Bahadori B**, Uitz E. Adipositas: Magnesium optimiert die Stoffwechsellage. *Ärztomagazin*, 2005(6):28
- (5) **Bahadori B**. Adipositas: Gemeinsam gegen die neue Epidemie! *Top Medizin*, 2001(12)
- (6) **Bahadori B**. Adipositas erfolgreich bekämpfen. Gewicht reduzieren auf die sanfte Tour! *Medical Tribune*, 2001(47)
- (7) Wallner SJ, **Bahadori B**, Steinberger I, Lahousen T, Krejs GJ. Adipositas therapie: Nahrung als Intervention. *J Ernährungsmed* 2001;4:11-6
- (8) Toplak H, Wascher TC, **Bahadori B**, Wallner SJ: Die orale antidiabetische Ersteinstellung. *Forum Dr. Med.*, 21(7), 40-50, 1997
- (9) Wascher TC, **Bahadori B**, Habersack-Wallner SJ, Toplak H: Gefäßerkrankungen bei Diabetes Mellitus - Die Atherosklerose des Diabetikers. *Forum Dr. Med.*, 20 (16) 14-22, 1996
- (10) Wascher TC, **Bahadori B**, Habersack-Wallner SJ, Toplak H: Gefäßerkrankungen bei Diabetes Mellitus - Die diabetische Mikroangiopathie. *Forum Dr. Med.*, 20, 12: 34-40, 1996
- (11) Toplak H, **Bahadori B**, Habersack-Wallner SJ, Wascher TC: Therapie der Lipidstoffwechselstörungen. *Forum Dr. Med.*, 20, 8: 14-21, 1996
- (12) Habersack-Wallner SJ, Wascher TC, **Bahadori B**, Toplak H: Formuladiäten. *Forum Dr. Med.*, 20, 1: 6-14, 1996
- (13) Toplak H, Wascher TC, **Bahadori B**, Habersack-Wallner SJ: Orale Antidiabetika. *Forum Dr. Med.*, 19, 15: 24-30, 1995

Abstrakts

- (1) Uitz E, **Bahadori B**, Thonhofer R, Trummer M, Pestemer-Lach I, MacCarty M, Krejs G. Omega-3 fatty acids as adjuvant therapy in rheumatoid arthritis. a double-blind, randomized, placebo-controlled trial. *EULAR 2006, Amsterdam. Ann Rheum Dis* 2006;65(Suppl II):347
- (2) Thonhofer R, Kriessmayr M, Thonhofer U, Wipfler E, Uitz E, **Bahadori B**, Eder S. RA-patients with therapy induced MDS present with long-time remission after recovery - a report of two cases. *EULAR 2006, Amsterdam. Ann Rheum Dis* 2006;65(Suppl II):490
- (3) Yazdani-Biuki B, Bahadori B, Mulabecirovic A, Brezinschek HP. Isoprostane as a marker of disease activity in SLE patients. *Arthr Rheum* 2003 48: 1488-1488.
- (4) Wallner SJ, Wagner KH, Aigner R, Smolle KH, Uitz E, **Bahadori B**, Krejs GJ: Anorexia Nervosa (AN): Model of Malnutrition and Oxidative Stress. *Aktuel Ernähr Med*, 27: 113, P7, 2002
- (5) Wallner SJ, Lipp RW, Tafeit E, **Bahadori B**, Hacker C, Krejs GJ: Beeinflussung der Magenentleerungsrate nach der Einnahme von CM3-Zellulose und postprandialen Walking bei Normalgewichtigen und Adipositas. *ÖGGH*, 2001
- (6) **Bahadori B**, Wallner SJ, Smolle KH, Bös U, Schaflinger E, Wascher TC: Indirekte Kalorimetrie bei übergewichtigen Typ II Diabetikern und einem gesunden Kontrollkollektiv. *Acta Med. A*, 2000
- (7) **Bahadori B**, Wallner S, Hacker C, Boes U, Komorowski JR, Wascher TC. Effects of chromium picolinate on insulin levels and glucose control in obese patients with type-II diabetes mellitus. *Diabetes* 1999;48(suppl):A349 (abstr).
- (8) **Bahadori B**, Wallner SJ, Barowitsch C, Föger G, Wascher TC: The impact of high dose oral melatonin on plasma concentrations of alpha-melanocyte-stimulating hormone. *Int Journ Obes*, Volume 22, suppl.3, P356, 1998

- (9) Boes U, Wonisch W, Wallner SJ, **Bahadori B**, Wascher TC: The effect of a high-fat dinner on nocturnal plasma peroxide levels in healthy subjects. *Int Journ Obes* 1998; Vol 22, Suppl.3, 333.
- (10) Wascher TC, Wallner SJ, **Bahadori B**, Toplak T: No effect of meal size or composition on postprandial serum leptin concentrations in healthy subjects. *Int Journ Obes* 1998; Vol 22, Suppl 3, 289.
- (11) Wallner SJ, Smolle KH, **Bahadori B**, Wascher TC: Indirect calorimetry in overweight diabetic and nondiabetic subjects. *Int Journ Obes* 1998; Vol 22, Suppl 3, 223.
- (12) Wascher TC, Wallner SJ, **Bahadori B**, Roden M, Novotny P, Toplak H: Effects of melatonin supplementation on plasma leptin levels. *Diabetologia*, 40 (suppl 1), A270, 1997
- (13) **Bahadori B**, Wallner SJ, Roden M, Novotny P, Toplak H, Wascher TC: Impact of melatonin supplementation on leptin levels during prolonged fasting. 4th IBC-Symposium on Obesity Boston, abstract, 1997
- (14) **Bahadori B**, Wascher TC, Wallner SJ, Roden M, Novotny P, Toplak H: Die Einflußnahme von hochdosierter Melatoningabe auf die Plasmaleptinspiegel bei prolongiertem Fasten. *Acta Med Austriaca* 24 (suppl 45), 17, 1997
- (15) Wascher TC, Wallner SJ, **Bahadori B**, Roden M, Novotny P, Toplak H: Effects of melatonin supplementation on plasma leptin levels. *Diabetologia*, 40 (suppl. 1), A270, 1997
- (16) Habersack SJ, Bahadori B, Schneider H, Wascher TC, Toplak H: Effects of chromium yeast and chromium picolinate on insulin sensitivity in obese non-diabetic patients. 2nd IBC-Symposium on Obesity. Washington, abstract, 1996
- (17) **Bahadori B**, Habersack SJ, Schneider H, Wascher TC, Toplak H: Effects of chromium yeast and chromium picolinate on body composition in obese non-diabetic patients under weight reduction. 2nd IBC-Symposium on Obesity. Washington, abstract, 1996
- (18) Habersack-Wallner SJ, Kreuz E, Graier W, **Bahadori B**, Toplak H, Wascher TC: Superoxide scavenging effects of free aminoacids. *Diabetologia*, 39 (suppl 1), A225, 1996
- (19) Habersack-Wallner SJ, Kreuz E, Graier WF, **Bahadori B**, Toplak H, Wascher TC: Superoxide scavenging effects of free aminoacids. *Diabetologia*, 39 (suppl. 1), A225, 1996
- (20) **Bahadori B**, Habersack-Wallner SJ, Schneider H, Wascher TC, Toplak H: Chrom-Picolinat verbessert die "Lean-Body-Mass" nach Gewichtsreduktion mit Modifast[®], *AMA*, 22 (Suppl.1), 45, 1995
- (21) Wascher TC, **Bahadori B**, Habersack-Wallner SJ, Schneider H, Toplak H: Chrom-Picolinat als Zusatz zu einer Gewichtsreduktion mit Modifast[®] verbessert die Insulin-Glucose Ratio. *AMA*, 22 (Suppl.1), 45, 1995
- (22) Toplak H, Habersack-Wallner SJ, **Bahadori B**, Schneider H, Wascher TC: Addition of Chromium-Picolinate to a very low calorie diet improves the insulin-glucose ratio after weight reduction. *Int J Obesity*, 19 (Suppl.2), 38, 1995
- (23) **Bahadori B**, Habersack-Wallner SJ, Schneider H, Wascher TC, Toplak H. Treatment with chromiumpicolinate improves lean mass in patients following weight reduction. *Int J Obesity* 1995;19(suppl 2):38.
- (24) Wascher TC, DeCampo A, **Bahadori B**, Habersack-Wallner SJ, Weber K, Krejs GJ, Toplak H: Atherosklerotische Risikoparameter sind bei Typ-I und Typ-II Diabetes unterschiedlich von der Diabeseinstellung abhängig. *AMA*, 21 (Suppl. 1), 10, 1994
- (25) **Bahadori B**, DeCampo A, Wascher TC, Habersack-Wallner SJ, Weber K, Krejs GJ, Toplak H: Mittleres Thrombozytenvolumen als neuer vaskulärer Risikofaktor-Effekte von Diabetes mellitus und Stoffwechsellkontrolle. *AMA*, 21 (Suppl. 1), 10, 1994
- (26) Toplak H, **Bahadori B**, Weber K, Habersack-Wallner SJ, Krejs GJ, Wascher TC: Gewichtsreduktion mittels "very low calory diet" und konventioneller Gewichtsreduktion-randomisierte, einjährige, monozentrische Vergleichsstudie. *AMA*, 21 (Suppl. 1), 9, 1994
- (27) **Bahadori B**, Wascher TC, Weber K, Habersack-Wallner SJ, Toplak H: Effects of a very-low-calory-diet and conventional weight reduction on mean platelet volume in obese patients. *Int J Obesity*, 18 (Suppl.2), 138, 1994